

**Xero: System: Push All (ServerSide)**

---

*#FIND & PUSH CONTACTS*

**Go to Layout** [ "gzh\_Contacts" (gzh\_Contacts) ]

**Enter Find Mode** [ ]

**Set Error Capture** [ On ]

**Set Field** [ gzh\_Contacts::xero\_mod; 0 ]

**New Record/Request**

**Set Field** [ gzh\_Contacts::status; "Deleted" ]

**Omit Record**

**Perform Find** [ ]

**Set Variable** [ \$lastError; Value:Get (LastError) ]

If [ \$lastError = 0 ]

**Perform Script** [ "Create Contact in Xero"; Parameter: "type: foundSet" & "; " & "" ]

**End If**

**Go to Layout** [ "XERO\_Preferences" (PRF\_PREFERENCES) ]

**Set Field** [ PRF\_PREFERENCES::xero\_con\_pushdate; Get(CurrentDate) ]

If [ PRF\_PREFERENCES::xero\_con\_status ≠ "OK" ]

**Exit Script** [ ]

**End If**

*#FIND & PUSH SERVICES*

**Go to Layout** [ "gzh\_Services" (gzh\_Services) ]

**Enter Find Mode** [ ]

**Set Error Capture** [ On ]

**Set Field** [ gzh\_Services::xero\_mod; 0 ]

**Perform Find** [ ]

**Set Variable** [ \$lastError; Value:Get (LastError) ]

If [ \$lastError = 0 ]

**Perform Script** [ "Create Service in Xero"; Parameter: "type: foundSet" & "; " & "" ]

**End If**

**Go to Layout** [ "XERO\_Preferences" (PRF\_PREFERENCES) ]

**Set Field** [ PRF\_PREFERENCES::xero\_ser\_pushdate; Get(CurrentDate) ]

If [ PRF\_PREFERENCES::xero\_ser\_status ≠ "OK" ]

**Exit Script** [ ]

**End If**

*#FIND & PUSH INVOICES*

**Go to Layout** [ "gzh\_Invoices" (gzh\_Invoices) ]

**Enter Find Mode** [ ]

**Set Error Capture** [ On ]

**Set Field** [ gzh\_Invoices::xero\_mod; 0 ]

**New Record/Request**

**Set Field** [ gzh\_Invoices::status; "Deleted" ]

**Omit Record**

**Perform Find** [ ]

**Set Variable** [ \$lastError; Value:Get (LastError) ]

If [ \$lastError = 0 ]

**Perform Script** [ "Create Invoice in Xero"; Parameter: "type: foundSet" & "; " & "" ]

**End If**

**Go to Layout** [ "XERO\_Preferences" (PRF\_PREFERENCES) ]

**Set Field** [ PRF\_PREFERENCES::xero\_inv\_pushdate; Get(CurrentDate) ]

If [ PRF\_PREFERENCES::xero\_inv\_status ≠ "OK" ]

**Exit Script** [ ]

**End If**

**Xero: System: Push All (ServerSide)**

---

*#FIND & PUSH PAYMENTS*

**Go to Layout** [ "gzh\_Receipts" (gzh\_Receipts) ]

**Enter Find Mode** [ ]

**Set Error Capture** [ On ]

**Set Field** [ gzh\_Receipts::xero\_mod; 0 ]

**Perform Find** [ ]

If [ Get(FoundCount) > 0 ]

**Perform Script** [ "Create Payment in Xero"; Parameter: "type: foundSet" & "; " & "" ]

**End If**

**Go to Layout** [ "XERO\_Preferences" (PRF\_PREFERENCES) ]

**Set Field** [ PRF\_PREFERENCES::xero\_rec\_pushdate; Get(CurrentDate) ]

If [ PRF\_PREFERENCES::xero\_rec\_status ≠ "OK" ]

**Exit Script** [ ]

**End If**